# LISTA DE C.P.U.E.

# ANEXO II

| definition (gear) | species | start of series | main use 1995-2000 | | | | | last WG used | Recommended Funding | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Tuning | Production model | Trend | Biological sampling | | | | by STECF/ SGRN | |
| | | | | | | length | ages | | M.P. | E.P. | N |
| **ICES** | **Atlantic shelf** | | | | | | | | | | |
| Purse- Seine | E. Encrasicolus IXa South | 1988 | | | yes | | | 2002 | ✓ | | |
| Bottom trawl | Lepidorhombus boscii VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lepidorhombus Whiffiagonis VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lophius Budegassa VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lophius Piscatorius VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Merlucius Merlucius VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Nephrops Norvegicus VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lepidorhombus boscii VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Trachurus trachurus VIIIc | 1986 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lepidorhombus Whiffiagonis VII Northern | 1984 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lophius Budegassa VII Northern | 1984 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lophius Piscatorius VII Northern | 1984 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Merlucius Merlucius VII Northern | 1984 | yes | | | | | 2002 | ✓ | | |
| "Baka" Otter trawl- Ondarroa - VIIIabd | Lophius Budegassa Division VIIa,b,d | 1993 | yes | | | | | 2002 | ✓ | | |
| "Baka" Otter trawl- Ondarroa - VIIIabd | Lophius Piscatorius Division VIIa,b,d | 1993 | yes | | | | | 2002 | ✓ | | |
| "Baka" Otter trawl- Ondarroa - VIIIabd | Merlucius Merlucius Division VIIa,b,d | 1993 | yes | | | | | 2002 | ✓ | | |
| "Baka" Otter trawl- Ondarroa - VII | Lophius Budegassa Subarea VII | 1993 | yes | | | | | 2002 | ✓ | | |
| "Baka" Otter trawl- Ondarroa - VII | Lophius Piscatorius Subarea VII | 1993 | yes | | | | | 2002 | ✓ | | |
| "Baka" Otter trawl- Ondarroa - VII | Merlucius Merlucius Subarea VII | 1993 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Lophius Piscatorius VIIe-k Northern | 1987 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Merlucius Merlucius VIIe-k Northern | 1987 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Merlucius Merlucius VIIIc-IXa Southern Hake | 1997 | yes | | | | | 2002 | ✓ | | |
| Bottom trawl | Nephrops Norvegicus VIIIc-IXa Southern Hake | 1997 | yes | | | | | 2002 | ✓ | | |

| definition (gear) | species | start of series | main use 1995-2000 | | | | | last WG used | Recommended Funding | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Tuning | Production model | Trend | Biological sampling | | | | by STECF/ SGRN | |
| | | | | | | length | ages | | M.P. | E.P. | N |
| **ICES** | **Atlantic shelf** | | | | | | | | | | |
| Pair Trawl | VIIIc-IXa Southern Micromesistius Poutassou | 1983 | yes | | | | | 2002 | ✓ | | |
| Bottom Trawl | Nephrops Norvegicus (FU 30) | 1994 | yes | | | | | 2004 | ✓ | | |
| Longliners – Baque Country-VI | Molva dypterygia Sub Area VI | 1994 | | | yes | | | 2002 | ✓ | | |
| Longliners – Baque Country-VII | Molva dypterygia Sub Area VII | 1994 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VII | Molva dypterygia Sub Area VII | 1993 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VI | Molva dypterygia Sub Area VI | 1994 | | | yes | | | 2002 | ✓ | | |
| Longliners – Baque Country-VI | Molva molva Sub Area VI | 1994 | | | yes | | | 2002 | ✓ | | |
| Longliners – Baque Country-VII | Molva molva Sub Area VII | 1994 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VII | Molva molva Sub Area VII | 1993 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VII | Brosme brosme Sub Area VI | 1994 | | | yes | | | 2002 | ✓ | | |
| Longliners – Baque Country-VI | Brosme brosme Sub Area VI | 1994 | | | yes | | | 2002 | ✓ | | |
| Longliners – Baque Country-VII | Brosme brosme Sub Area VII | 1994 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VII | Brosme brosme Sub Area VII | 1993 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VIIIa,b,d | Dicentrarchus labrax Divisions VIIIa,b,d | 1994 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VIIIa,b,d | Loliginid squids Divisions VIIIa,b,d | 1994 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VII | Loliginid squids Sun Area VII | 1994 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VIIIa,b,d | Octopods Divisions VIIIa,b,d | 1994 | | | yes | | | 2002 | ✓ | | |
| “Baka” Otter Trawl Ondarroa VII | Octopods Sub Area VII | 1994 | | | yes | | | 2002 | ✓ | | |

| definition (gear) | species | start of series | main use 1995-2000 | | | | | last WG used | Recommended Funding | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Tuning | Production model | Trend | Biological sampling | | | | by STECF/ SGRN | |
| | | | | | | length | ages | | M.P. | E.P. | N |
| **ICES** | **Atlantic shelf** | | | | | | | | | | |
| "Baka" Otter Trawl Ondarroa VIIIa,b,d | Sepia spp Divisions VIIIa,b,d | 1994 | | | yes | | | 2002 | ✓ | | |
| "Baka" Otter Trawl Ondarroa VII | Sepia spp Sub Area VII | 1994 | | | yes | | | 2002 | ✓ | | |
| "Baka" Otter Trawl Ondarroa VIIIa,b,d | Shortfinned squids Divisions VIIIa,b,d | 1994 | | | yes | | | 2002 | ✓ | | |
| "Baka" Otter Trawl Ondarroa VII | Shortfinned squids Sub Area VII | 1994 | | | yes | | | 2002 | ✓ | | |
| Bottom trawl | Octopus vulgaris IXa (South) | 1993 | | | Yes | | | 2002 | ✓ | | |
| Artisanal | Octopus vulgaris IXa (South) | 1993 | | | Yes | | | 2002 | ✓ | | |
| Bottom trawl | Sepia officinalis IXa (South) | 1993 | | | Yes | | | 2002 | ✓ | | |
| Artisanal | Sepia officinalis IXa (South) | 1993 | | | Yes | | | 2002 | ✓ | | |
| **CECAF** | **SE Atlantic** | | | | | | | | | | |
| Trawl | Loligo vulgaris FAO 34.1.3 and 34.3.1 | 1975 | | yes | | | | 2003 | ✓ | | |
| Trawl, longline | Merluccius spp FAO 34.1.3 and 34.3.1 | 1981 | | yes | | | | 2001 | ✓ | | |
| Trawl and pots | Octopus vulgaris FAO 34.1.3 | 1969 | | yes | | | | 2003 | ✓ | | |
| Trawl and pots | Octopus vulgaris FAO 34.3.1 (stock 1) | 1966 | | yes | | | | 2003 | ✓ | | |
| Trawl and pots | Octopus vulgaris FAO 34.3.1 (stock 2) | 1985 | | yes | | | | 2003 | ✓ | | |
| Trawl | Parapenaeus longirostris FAO 34.1.3 | 1987 | | yes | | | | 2003 | ✓ | | |
| Trawl | Parapenaeus longirostris FAO 34.3.1 | 1988 | | yes | | | | 2003 | ✓ | | |
| Trawl | Penaeus notialis FAO 34.3.1 | 1988 | | yes | | | | 2003 | ✓ | | |
| Trawl | Penaeus notialis FAO 34.1.3 | 1987 | | yes | | | | 2003 | ✓ | | |
| Trawl | Sepia hierredda FAO 34.1.3 | 1975 | | yes | | | | 2003 | ✓ | | |
| Trawl | Sepia hierredda FAO 34.3.1 | 1975 | | yes | | | | 2003 | ✓ | | |
| **ICCAT** | **Atlantic, Mediterranean** | | | | | | | | | | |
| Troll | T.alalunga North Atlantic | 1981 | yes | | | | | 2001 | ✓ | | |
| Bait Boat | T. thynnus E. Atlantic and Medit | 1975 | yes | | | | | 2002 | ✓ | | |
| Traps | T. thynnus E. Atlantic and Medit | 1981 | yes | | | | | 2002 | ✓ | | |
| Surface longline | Xiphias gladius North Atlantic | 1983 | yes | | | | | 2002 | ✓ | | |
| Surface longline | Xiphias gladius North Atlantic | 1983 | | yes | | | | 2002 | ✓ | | |

| definition (gear) | species | start of series | main use 1995-2000 | | | | | last WG used | Recommended Funding | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Tuning | Production model | Trend | Biological sampling | | | | by STECF/ SGRN | |
| | | | | | | length | ages | | M.P. | E.P. | N |
| **CECAF** | **SE Atlantic** | | | | | | | | | | |
| Surface longline | Xiphias gladius North Atlantic | 1988 | | yes | | | | 2002 | ✓ | | |
| **CFCM** | **Balearic sub Area** | | | | | | | | | | |
| Bottom Trawl | Aristeus antennatus | 1999 | | yes | yes | | | 2003 | ✓ | | |
| Bottom Trawl | Aristeus antennatus | 1995 | | yes | yes | | | 2003 | ✓ | | |
| Bottom Trawl | Aristeus antennatus | 1995 | | yes | yes | | | 2003 | ✓ | | |
| Purse seine | E. encrasicolus | 1995 | | | yes | | | 2003 | ✓ | | |
| Purse seine | E. encrasicolus | 1993 | | | yes | | | 2003 | ✓ | | |
| Purse seine | Sardina pilchardus | 1995 | | | yes | | | 2003 | ✓ | | |
| Bottom Trawl | M.merluccius | 1995 | | | yes | | | 2002 | ✓ | | |
| Bottom Trawl | M.merluccius | 1995 | | | yes | | | 2002 | ✓ | | |
| Bottom Trawl | M.merluccius | 1995 | | | yes | | | 2002 | ✓ | | |
| Bottom longline | M.merluccius | 1995 | | | yes | | | 2002 | ✓ | | |
| Bottom Trawl | Mullus spp | 1995 | | | yes | | | 2002 | ✓ | | |
| Bottom Trawl | Mullus spp | 1995 | | | yes | | | 2002 | ✓ | | |
| Bottom Trawl | Mullus spp | 1995 | | | yes | | | 2002 | ✓ | | |
| **CFCM** | **Gulf of Lions Sub Area** | | | | | | | | | | |
| Bottom Trawl | M.merluccius | 1995 | | yes | yes | | | 2002 | ✓ | | |